



Abbott Diagnostics Korea, Inc.
65, Borahagal-ro, Giheung-gu,
Yongin-si, Gyeonggi-do,
Republic of Korea (16878)
T: +82.31.899.2800 / 899.2805
fax : +82.31.899.2842

ADK Doc. No. ADK-Q2024-053
Subject: Urgent Field Safety Notice

Date Issued: 13th September 2024

Product	<p>Products impacted include SD UroColor 10/ UroColor 10, SD UroColor 11/ UroColor 11.</p> <p>Product Codes impacted are 10UK10 and 10UK11.</p> <p>There are multiple affected lot numbers, which are outlined in Appendix I of this document.</p>
Explanation	<p>Abbott have determined that patient samples tested using affected lots of UroColor 10 & UroColor 11 products may show false positive results for the Leukocyte presence.</p> <p>Assessment of this occurrence has determined that the leukocyte marker within the UroColor 10 & UroColor 11 products may decline in performance prior to their defined expiration dates, resulting in the potential for false positive results to occur.</p> <p>As an interim measure, while Abbott investigates the cause of this event, all newly released lots will have a shortened dating applied from the date of manufacture. This action ensures that product performance can be maintained during the assigned shelf-life.</p>
Patient Impact	<p>Patient samples tested using select lots of UroColor 10 & UroColor 11 products may show false positive results for the Leukocyte marker when results are read either visually or instrumentally using the UroMeter urine chemistry analyzer.</p> <p>As per the Test Limitation section in the pertaining products Information for Use (IFU), other clinical and laboratory data should be considered when evaluating patient health with UroColor 10 and UroColor 11 products.</p> <p>A negative result is deemed valid for the Leukocyte marker using the UroColor 10 & UroColor 11 products. All other UroColor markers, with the exception of Leukocyte tests, have been determined to function as intended, with positive and negatives results obtained being valid.</p>

Please follow the necessary actions below:

**Necessary
Actions to
be taken**

If....	Then...
You are currently using or have inventory of impacted lots and are using the product to test for Leukocyte presence	Discontinue use of and discard any remaining inventory.
You are currently using or have inventory of impacted lots and are using the product to test for markers other than Leukocyte presence	You may continue to use the product as intended per labelling as it pertains to markers other than Leukocytes

- Going forward, all future lots will carry reduced dating until further notice.
- Follow your local protocol regarding the need for review of previously reported patient results. Please seek consult from your medical advisors where applicable.
- If you have forwarded any of the affected lots to another customer, please provide them with a copy of this communication.
- Please complete the form attached in Appendix II of this document per instructions provided.

**Contact
Information**

If you or any of the health care providers you serve have questions regarding this information, please contact your local area Customer Service.

Sincerely,

DocuSigned by:

ED7E79F83AE045C

2024-09-13

Taekjin, Lee
Director, Head of Quality
Abbott Diagnostics Korea Inc.

Appendix I

Table 1: List of lots in scope of Field Safety Notice

Product Code	Lot No.	Expiry Date	Lot No.	Expiry Date
10UK10	U100H048AA	2024-09-11	U100I020AC	2025-04-20
	U100H051AA	2024-09-21	U100I021AA	2025-04-26
	U100H051AB	2024-09-21	U100I022AA	2025-04-30
	U100H055AA	2024-10-09	U100I023AA	2025-05-07
	U100H056AA	2024-10-10	U100I023AB	2025-05-07
	U100H057AA	2024-10-15	U100I023AC	2025-05-07
	U100H057AB	2024-10-15	U100I023AD	2025-05-07
	U100H058AA	2024-10-17	U100I024AA	2025-05-13
	U100H058AB	2024-10-17	U100I025AA	2025-05-16
	U100H059AA	2024-10-23	U100I026AA	2025-05-20
	U100H060AA	2024-11-07	U100I026AB	2025-05-20
	U100H061AA	2024-11-12	U100I026AC	2025-05-20
	U100H061AB	2024-11-12	U100I027AA	2025-05-28
	U100H062AA	2024-11-13	U100I027AB	2025-05-28
	U100H063AA	2024-11-28	U100I027AC	2025-05-28
	U100H063AB	2024-11-28	U100I027AD	2025-05-28
	U100H063AC	2024-11-28	U100I028AA	2025-06-05
	U100H064AA	2024-12-05	U100I029AA	2025-06-05
	U100H064AB	2024-12-05	U100I030AA	2025-06-06
	U100H065AA	2024-12-11	U100I031AA	2025-06-11
	U100H065AB	2024-12-11	U100I031AB	2025-06-11
	U100H066AA	2024-12-11	U100I031AC	2025-06-11
	U100H066AB	2024-12-11	U100I032AA	2025-06-15
	U100H067AA	2024-12-21	U100I032AB	2025-06-15
	U100H068AA	2024-12-24	U100I032AC	2025-06-15
	U100H068AB	2024-12-24	U100I033AA	2025-06-20
	U100I001AA	2025-01-02	U100I034AA	2025-07-01
	U100I001AB	2025-01-02	U100I034AB	2025-07-01
	U100I005AA	2025-01-29	U100I035AA	2025-07-11
	U100I019AA	2025-04-16	U100I036AA	2025-07-12
	U100I019AB	2025-04-16	U100I037AA	2025-07-16
	U100I020AA	2025-04-20	U100I037AB	2025-07-16
	U100I038AA	2025-07-23	U100I037AC	2025-07-16
	U100I038AB	2025-07-23	U100J007AA	2026-01-28
	U100I038AC	2025-07-23	U100J007AB	2026-01-28
	U100I038AD	2025-07-23	U100J008AA	2026-01-28

10UK10	U100Io64AA	2025-12-09	U100Jo08AB	2026-01-28
	U100Io64AB	2025-12-09	U100Jo08AC	2026-01-28
	U100Io64AC	2025-12-09	U100Jo09AA	2026-02-11
	U100Io66AA	2025-12-19	U100Jo09AB	2026-02-11
	U100Io66AB	2025-12-19	U100Jo17AA	2026-03-17
	U100Io67AA	2025-12-26	U100Jo17AB	2026-03-17
	U100Io67AB	2025-12-26	U100Jo18AA	2026-03-20
	U100Jo01AA	2026-01-03	U100Jo21AA	2026-03-26
	U100Jo01AB	2026-01-03	U100Jo24AA	2026-04-07
	U100Jo01AC	2026-01-03	U100Jo25AA	2026-04-08
	U100Io20AB	2025-04-20		
10UK11	U110Ho22AA	2024-09-14	U110Io06AA	2025-05-08
	U110Ho23AA	2024-09-19	U110Io08AA	2025-05-29
	U110Ho24AA	2024-10-05	U110Io09AA	2025-05-31
	U110Ho25AA	2024-11-14	U110Io09AB	2025-05-31
	U110Ho26AA	2024-11-15	U110Io10AA	2025-06-18
	U110Io01AA	2025-01-11	U110Jo03AA	2026-01-29
	U110Io02AA	2025-01-12		

Appendix II

Urgent Field Safety Notice Reply Form

I hereby acknowledge that I have received, read, and understood the included Urgent Field Safety Notice for *SD UroColor 10/ UroColor 10, SD UroColor 11/ UroColor 11* products.

We have taken the necessary actions as directed by this Field Safety Notice and have informed all customers that have received the impacted lots of *SD UroColor 10/ UroColor 10, SD UroColor 11/ UroColor 11* products.

We acknowledge that this document may be presented to regulatory or administrative bodies globally according to mandatory legislation.

Date	Name (Printed)	Signature
Title	Department	
Institution		
Address		
Post/Zip Code	City	
Telephone	FAX	E-mail

Return e-mail to field.safety.notifications@abbott.com.