

EUDAMED user guide UDI Devices

Production v 2.15.1 2025

Table of Contents

1. Introduction	1
2. Getting started	3
Register Regulation Devices 3.1. Register a Basic UDI-DI together with a UDI-DI of a Regulation Device	
3.1.1. Step 1: Basic UDI-DI identification information 3.1.2. Step 2: Certificate information (if applicable)	7
3.1.3. Step 3: UDI-DI identification information	12
3.1.4. Step 4: UDI-DI characteristics	16
3.1.5. Step 5: Device information	
3.1.6. Step 6: Container package details	24
3.2. Register a UDI-DI for an existing Basic UDI-DI of a	07
Regulation Device	27
4. Register System or Procedure Packs (SPP)	30
4.1. Register Basic UDI-DI together with a UDI-DI for a	
System or Procedure Pack	
4.1.1. Step 1: Basic UDI-DI main information	
4.1.2. Step 2: Basic UDI-DI information	
4.1.3. Step 3: UDI-DI identification information	
4.1.4. Step 4: UDI-DI characteristics	
4.1.3. Step 3. Container package details	50
System or Procedure Pack	38
4.2.1. Step 1: UDI-DI identification information	
4.2.2. Step 2: UDI-DI characteristics	
4.2.3. Step 3: Container package details	
5. Manage your own Device information	
5.1. Manage your device Basic UDI-DI/EUDAMED DI	42
details	42
5.1.1. Delete draft Basic UDI-DI/EUDAMED DI	43
5.1.2. Update Basic UDI-DI/EUDAMED DI	44
5.1.3. View Basic UDI-DI/EUDAMED DI historical	
versions	
5.2. Manage your device UDI-DI/EUDAMED ID details	47

EUDAMED user guide

5.2.1. Delete draft UDI-DI/EUDAMED ID	49
5.2.2. View registered UDI-DI/EUDAMED ID details	50
5.2.3. Update UDI-DI/EUDAMED ID	56
5.2.4. Update Product original manufacturer	61
5.2.5. Update Market Information	
5.2.6. Update Container Packages	
5.2.7. Discard registered UDI-DIs/EUDAMED IDs (and their Basic UDI-DI/EUDAMED DI)	
5.2.8. Link registered Regulation Device to registered Legacy Device	70
5.2.9. Delete link between Regulation Device and	
Legacy Device	73
ID and associated entities	74
6. Manage your own System or Procedure Pack (SPP)	
information	76
6.1. Manage your SPP Basic UDI-DI details	76
6.1.1. Delete a SPP draft Basic UDI-DI	77
6.1.2. Update SPP Basic UDI-DI	78
6.1.3. View SPP Basic UDI-DI historical versions	80
6.2. Manage your SPP UDI-DI details	81
6.2.1. Delete SPP draft UDI-DI	82
6.2.2. Update SPP UDI-DI	83
6.2.3. Update SPP Container Packages	85
6.2.4. Discard SPP registered UDI-DIs	
6.2.5. View SPP historical versions for UDI-DI and	
associated entities	89
 Search & View Devices and Systems or Procedure Packs Search & View historical versions of Devices or 	
SPPs	92
7.2. Download Devices or SPPs data in a structured format (XML)	93
7.3. View historical versions of Basic UDI-DI/EUDAMED DI, UDI-DI/EUDAMED ID and associated entities	
8 Annex – device certificate information	99

1 Introduction

Regulation (EU) 2017/745 on medical devices and Regulation (EU) 2017/746 on *in vitro* diagnostic medical devices introduce an EU identification system for medical devices based on a Unique Device Identifier (UDI).


The UDI-DI/Device module of EUDAMED is used for the manufacturers to provide their UDIs/Devices information and to make it available to everyone.¹



WARNING

EUDAMED does not contain all constraints defined in the MDR/IVDR, guidance and good practices, and therefore, it is not because something is possible in EUDAMED that it is necessarily allowed.


▶ VIDEO: What is a UDI?



INFOGRAPHIC: Basic UDI-DI/UDI-ID concept

Introduction 1

¹For a wider understanding on how to use the platform visit the EUDAMED Information Centre. For information specific to UDI, visit the UDI Helpdesk.



Introduction 2

2 Getting started

What I need to access EUDAMED

1. EU Login (ECAS) account:

To use EUDAMED, you must have an EU Login account associated with your professional email address and the manufacturer for which you want to act on behalf must be registered as an actor in EUDAMED.

User profile registration in EUDAMED:
 For information on how to gain access to EUDAMED, please consult the Economic Operators user guide.



NOTE

EUDAMED is also available in a Playground environment, intended to enable you to experiment with the application. All the information in this environment is dummy (including the Actor ID/SRN) and will never be moved to the Production environment. Access to the Playground requires a separate registration.



Every user in EUDAMED is granted by default the profile *Viewer* for the UDI/Device module, and can search and view registered devices. However, to enter UDI/Device data in EUDAMED, you must request access for the UDI/Device module with a higher profile ² as either:

- A Proposer this profile allows you to create and delete draft records related to your manufacturer, or
- A Confirmer this profile includes the Proposer rights and additionally, allows you to submit and discard records.



NOTE

See the Economic Operators user guide, Section *Upgrading your user profile* for further information on how to upgrade your profile from *Viewer* to *Proposer* or *Confirmer*.

Getting started 3

²See the Economic Operators user guide, Section *User rights and profiles*, for more information on user rights and profiles.



IMPORTANT

A Local Actor Administrator (LAA)/Local User Administrator (LUA) of your manufacturer must approve your user access request (If you don't have a second user with LAA/LUA profile, please refer to the Economic Operators user guide, Section Requesting access as a second LAA user to an existing registered actor).

Before you start entering details of a UDI/device in EUDAMED, please ensure you have all the required information at hand, including the Basic UDI-DI and UDI-DI codes. Fields marked with a red asterisk are mandatory.

Getting started 4

3 Register Regulation Devices


► VIDEO: Registering Regulation Devices



Each Regulation Device must have a unique Basic UDI-DI and a unique UDI-DI assigned to it. Both are always required – you cannot register a Basic UDI-DI without a UDI-DI.


You will be asked to enter EUDAMED via your EU Login account.

INFOGRAPHIC: UDI registration for regulation devices



3.1 Register a Basic UDI-DI together with a UDI-DI of a Regulation Device

INFOGRAPHIC: Basic UDI-DI/UDI-ID concept




3.1.1 Step 1: Basic UDI-DI identification information

▶ VIDEO: UDI and medical software devices



1. Click on Register a new Basic UDI-DI:




2. Enter the Basic UDI-DI information and select the applicable regulation.




NOTE

In this guide, the selection is MDR (Regulation (EU) 2017/745). Based on the regulation you choose, the characteristics of the Device to be entered will vary.




Depending on the regulation selected an additional question appears at the bottom of the page:





If you select **No**, please choose the right information under the appearing section *Special Device type* (for IVDR, if you select **No** for *Is it a Kit?*, the only option for Special device type if applicable is *Software*³ (See video above):



³For more information, visit the EUDAMED Information Centre, or the UDI Assignment to Medical Device Software webpage.



If one of the following Special Device types is selected, the Master UDI-DI applies:

- · Standard soft contact lenses
- · Standard Rigid Gas Permeable (RGP) contact lenses
- · Made to order soft contact lenses
- · Made to order Rigid Gas Permeable (RGP) contact lenses.
- 3. Fill in the Basic UDI-DI identification details and click Save & Next:





IMPORTANT

EUDAMED will validate the Basic UDI-DI code based on the specific format for each Issuing Entity and will prevent you from going further if the code is not valid.


If the Basic UDI-DI code already exists in EUDAMED, the system will prevent you from saving, as a Basic UDI-DI must be unique.

 Non-EU manufacturers will have to select the Authorised Representative for the Basic UDI-DI amongst those with which they have an active mandate registered in EUDAMED.


If there is only one Authorised Representative with an active mandate with the non-EU Manufacturer, it will be automatically retrieved:



5. Choose a Risk Class and select **Yes** or **No** for each option that follows.



6. Select **Yes** or **No** if Device model is applicable. If you selected *No*, the Device Name will be mandatory, otherwise, it is mandatory to enter the Device model and the Device name (at the Basic UDI-DI level) if there is one (note that the device trade name is part of the UDI-DI data):



7. Click **Save** to save your registration as a draft and continue later, or **Save & Next** to save it as a draft and continue directly with the following steps:



3.1.2 Step 2: Certificate information (if applicable)

This section only becomes accessible depending on the Risk Class information provided and additional properties in the Basic UDI-DI.



Certificate Information for a Basic UDI-DI registration is applicable only when its confirmation by the Notified Body from the certificate registration is required (as specified in Art 29(3) MDR/Art 26(2) IVDR).

In Annex – Device Certificate Information [99] you can find the different cases in which Certificate information is required and the type of certificate.


In brief, it is applicable for MDR risk class III and IIb and IVDR risk class B with self-patient testing/near-patient testing, risk class D and C.

For certificate information, at least the following should be provided:

- whether EU type examination certificate is applicable.
- the Notified Body (NB) responsible for the product certificate.
- · if known, the certificate identification.

Additionally, more information on the certificate type could be required depending on the risk class and properties specified for the Basic UDI-DI. For the NB, enter some or all of the NB name or number, click **Find** and choose the correct Notified Body from the new window.

If known, enter the certificate number and revision number and click **Save** or **Save & Next**.





NOTE

Notifications to MFs and ARs

When a new Product Certificate has been registered in EUDAMED both the MF and the AR are notified.

3.1.3 Step 3: UDI-DI identification information

VIDEO: UDI carrier and display formats



1. Select the *Issuing Entity* from the drop-down list and enter the *UDI-DI code*.



IMPORTANT

The UDI-DI code you enter must be unique. If it already exists in EUDAMED, you will not be able to Save.

Exception: the same UDI-DI can be used for a Legacy Device and its Regulation Device equivalent.

If the same UDI-DI code was already provided for a Legacy Device (i.e. applicable legislation MDD, AIMDD or IVDD), you will be prompted that a link will be created between the two devices (the Regulation and the Legacy Device) on the condition there is no conflict between some of the Basic UDI-DI properties and the related legacy device EUDAMED DI properties. In case of conflict, the system will prevent you from using the same UDI-DI.



NOTE

In the case of a GS1 Issuing Entity, the UDI-DI code you enter must be a 14-digit code including the check digit that will be used by EUDAMED to validate the UDI-DI code. If your GS1 UDI-DI (GTIN code) is shorter than 14 digits (check digit included), when populating EUDAMED field please add leading zero(s) until you reach 14 digits.

For example:

000000nnnnnnnn (GTIN-8)


00nnnnnnnnnn (GTIN-12)

Onnnnnnnnnnnn (GTIN-13)



When registering a Master UDI-DI code, a specific format validation algorithm is applied when the issuing entity is GS1:


- For Standard soft contact lenses and Standard Rigid Gas Permeable (RGP) contact lenses the system applies the GMN format validation algorithm.
- For Made-to-order soft contact lenses and Made-to-order Rigid Gas
 Permeable (RGP) contact lenses the system applies the GTIN UDI-DI format
 validation algorithm.
- 2. If applicable, enter the Secondary UDI-DI from a different Issuing Entity to the UDI-DI:



3. Enter the EMDN code and click **Find**, and select the correct one from the list:



4. If applicable, enter the trade name (as specified on the device label) and select its related language (select **All languages** if not language dependent):




5. Enter the Reference/Catalogue number.





For a Master UDI-DI, if there are multiple Reference/Catalogue numbers, you may enter 'many' as the value:



- 6. Specify whether the device is directly marked or not:
 - If the device is directly marked, you must either indicate it is the same as the UDI-DI or enter the UDI-DI and issuing entity of the Direct marking DI.





NOTE

Direct Marking UDI-DI is not applicable for a Master UDI-DI. The field is set to *No* and it is greyed out.

- 7. If the device is not directly marked and the base quantity of the device is **greater than one**, you may enter the Unit of Use DI and its issuing entity:
 - The same Unit of Use DI (UoU DI) can be used for different UDI-DIs in case the same device has different root packaging (each one having a different UDI-DI).







NOTE


The *Unit of Use DI* and its *Issuing Entity* fields are not applicable for a Master UDI-DI. They are set to *No* and they are greyed out.

8. If the base quantity is **less than two**, then no Unit of Use DI (UoU DI) is provided:





- 9. Select the Type of UDI-PI.
- 10. Enter any additional pertinent information about the device, select the language in which the additional information is provided and enter a URL (web address) for additional information online if applicable:



11. Specify the UDI-DI status in selecting whether it is *On the EU market*, *Not intended for the EU market* or *No longer placed on the EU market* and click **Save** or **Save & Next**:



3.1.4 Step 4: UDI-DI characteristics


1. Specify clinical size for the UDI-DI if applicable and choose the dimension and the precision values in the drop-down lists below:



NOTE

When the selected *Clinical size* type has the option *Other*, users will be required to enter the *Description of the Clinical size type* and the language of description. The same applies for Measure unit.

In case both the Clinical size and Measure unit have the option *Other*, the description for the two fields needs to be provided in the same languages.




You must provide one of the following precision types:

- Range requires minimum and maximum values and the measure unit
- Text requires free text entry
- Value requires the size and the measuring unit

You may add several clinical sizes by adding different types of dimensions, but only one dimension for a given type.

Specify if the device is labelled as single use.
 When the device is not labelled single use you must provide the number of reuses if applicable:

- If the Maximum number of reuses is not applicable, then the device is considered
 as non-single use Device and it does not have a maximum number of reuses
 (infinite number of reuses)
- If value provided is >=1, the device is considered as a *non-single use Device* having a limited number of reuses (the value provided)



3. Select **Yes** or **No** for each of the options below:






NOTE


Containing latex is only for MDR, not applicable for IVDR.

4. For MDR enter the CMR and/or Endocrine disruptor substances if applicable. When specifying CMR and/or Endocrine substances you may provide the EC# or CAS#. If you do provide them, only the *Name of substance* is required (the language is no longer required):

EUDAMED user guide



5. Fill in the Storage/handling conditions section:






NOTE

For Storage/handling conditions type *Other*, users must enter the Description of the *Storage/handling condition type* and the description's language.

6. Fill in Critical warnings or contra-indications, and click Save or Save & Next:






For Critical warning or contra-indications type *Other*, users must enter the Description of the Critical warning or contra-indications *type* and the description's language.

3.1.5 Step 5: Device information

1. For MDR, specify if it is a reprocessed single use device and if it has an intended purpose other than medical (Annex XVI):



2. If you select Yes for the *Intended purpose*, select the relevant purpose(s):





NOTE

When registering a Master UDI-DI for contact lenses, if you select *Yes* for Annex XVI, the list of possible choices will not be displayed, as it is already predefined.

Select Yes or No if the device was designed and manufactured by another legal or natural person.

If Yes, there are two ways to find the *Product original manufacturer* of the device:


 Check the box I know the Actor ID/SRN, enter the Actor ID/SRN or name of the Product original manufacturer of the device and click Check registry:





Check the box *I know theActor ID/SRN* in order to search for an existing registered Manufacturer Actor either by SRN or by name.


Select the Actor from the list:




• Enter the name of the *Product original manufacturer organisation name* and click on **Check registry**:




Select the Organisation name from the list:




If the Organisation name is not on the list, click on **Enter data manually** and fill in the required fields with the details on the *Product original manufacturer* of the device:




4. Select **Yes** or **No** to provide the Clinical Investigation/Performance study reference for the current UDI-DI:



5. When registering under MDR, select **Yes** or **No** to fill information on tissues and cells, and information on substances:



If you answer Yes to Information on substances, enter the details:




For IVDR, select **Yes** or **No** to fill information on tissues and cells and specify if the device is new.



NOTE

A device shall be considered new if:

- There has been no such device continuously available on the Union market during the previous three (3) years for the relevant analyte or other parameter.
- The procedure involves analytical technology not continuously used in connection with a given analyte or other parameter on the Union market during the previous three (3) years.
- 6. Choose a Member State in the drop-down list where the device is or has been first placed on the EU market, and click **Save** or **Save & Next**:






The countries where the device is or is to be made available on the market are mandatory, to be provided when the device's status is *On the EU market* and device's risk class is **not risk class I (MDR)** and **not risk class A (IVDR)**.

3.1.6 Step 6: Container package details

VIDEO: UDI carrier placing




1. Click on *Add container package* when there is a higher packaging level for the root UDI-DI:



Each package level requires a unique UDI-DI assignment.

Start by registering the container package associated with the root UDI-DI (also known as the primary UDI-DI). You may add multiple levels and container packages. Input the *Issuing Entity*, UDI-DI code for the package, *Quantity per package*, select the *Package status* and then click **Save**:





NOTE

If the UDI-DI already exists in EUDAMED, the system will prevent you from saving.



NOTE


If the status of the device for this container package is either *No longer placed on the EU Market* or *Not intended for the EU Market*, the *Package status* options are greyed out and any container package added to this device will automatically have the same *Package status* as the device.




NOTE

When registering a Master UDI-DI code, a specific format validation algorithm is applied when the issuing entity is GS1:


- For Standard soft contact lenses and Standard Rigid Gas Permeable (RGP) contact lenses the system applies the GMN format validation algorithm.
- For Made-to-order soft contact lenses and Made-to-order Rigid Gas Permeable (RGP) contact lenses the system applies the GTIN format validation algorithm.
- 2. Select the generated information and click **Submit**:



3. Confirm your submission in the pop-up window:



4. The screen will display a success message:






IMPORTANT

After submitting the Device, the state of the Device (Basic UDI-DI and UDI-DI) will be:

- Registered, if the Basic UDI-DI data does not require confirmation from the Notified Body (Basic UDI-DI and UDI-DI is publicly available in the EUDAMED public website);
- Submitted, if the Basic UDI-DI data requires confirmation from the Notified Body (Basic UDI-DI and UDI-DI is not publicly available and will only get the *Registered* state and become publicly available after Notified Body confirmation).

3.2 Register a UDI-DI for an existing Basic UDI-DI of a Regulation Device

1. On the EUDAMED Dashboard, select Manage your Basic UDI-DIs/ EUDAMED DIs:




2. Filter the Basic UDI-DIs/ EUDAMED DIs in state Submitted or Registered:




IMPORTANT

Additional UDI-DIs for a Basic UDI-DI can be added only for Regulation Devices (not for Legacy Devices).


New UDI-DIs can be added only to Basic UDI-DIs that are in state *Registered* or *Submitted*:




From the results, find the Basic UDI-DI for which you wish to add a new UDI-DI. Click
on the three dots on the right and click on Add a UDI-DI to this Basic UDI-DI / Add a
Master UDI-DI to this Basic UDI-DI:



Complete the steps required for the registration of a UDI-DI for an existing Basic UDI-DI (Step 3: UDI-DI identification information [12], Step 4: UDI-DI Characteristics [16], Step 5: Device information [19], Step 6: Container Package Details [24]):



When you have completed all steps, click **Submit my request** to submit the new UDI-DI:





IMPORTANT

After Submitting the UDI-DI, the state of the UDI-DI will be:

- Registered if the Basic UDI-DI has the state Registered;
- Submitted if the Basic UDI-DI has the state Submitted.


4 Register System or Procedure Packs (SPP)

4.1 Register Basic UDI-DI together with a UDI-DI for a System or Procedure Pack


Registering System or Procedure Packs is only possible for users belonging to an actor that is a System and Procedure Pack producer.

4.1.1 Step 1: Basic UDI-DI main information

1. On the EUDAMED dashboard, click on Register a New System Procedure Pack:



2. Next, specify the *Issuing Entity* and the *Basic UDI-DI code*:






Only legislation MDR (Regulation (EU) 2017/745 on medical devices) is possible for system and procedure packs (selected by default).




IMPORTANT

EUDAMED will validate the Basic UDI-DI code you insert based on the specific format provided by each Issuing Entity. Please ensure that you enter the correct code with the check digits.

If the *Basic UDI-DI code* already exists in EUDAMED, the system will prevent you from saving – a Basic UDI-DI must be unique:




3. Choose if you are registering a system or procedure pack and click on **Save & Next** to save your registration as a draft and move on to the next steps:



4.1.2 Step 2: Basic UDI-DI information

Enter the Basic UDI-DI information:



1. Choose a *Risk Class* from the drop-down (it must be the highest risk class of devices that are part of the system or procedure pack):



2. Fill in the indication of medical purpose and select the related language from the drop-down list.



If you add the indication in multiple languages, click on *Add another indication of medical purpose* and select its language.

Select **Yes** or **No** if Device model is applicable and, if so, enter the Device model and a device name if there is one. Otherwise, enter only a Device name:



3. Click on **Save** to save your registration as a draft, or click **Save & Next** to save it as a draft and continue to the next steps:



4.1.3 Step 3: UDI-DI identification information

1. Select the *Issuing Entity* from the drop-down and enter the UDI-DI code:





IMPORTANT

The UDI-DI code must be unique. If it already exists in EUDAMED, you will not be able to save.




NOTE


In the case of a GS1 Issuing Entity, the UDI-DI code you enter must be a 14-digit code including the check digit that will be used by EUDAMED to validate the UDI-DI code. If your GS1 UDI-DI (GTIN code) is shorter than 14 digits (check digit included), when populating EUDAMED field please add leading zero(s) until you reach 14 digits.

For example:


- 000000nnnnnnn (GTIN-8)
- 00nnnnnnnnnn (GTIN-12)
- Onnnnnnnnnnnn (GTIN-13)
- 2. Enter the Secondary UDI-DI from a different Issuing Entity to the UDI-DI if applicable:



Enter the EMDN code, click Find and select the correct one from the list:



4. If applicable, enter the trade name (as specified on the device label) and select its related language (select **All languages** if not language dependent):



- 5. Enter the Reference/Catalogue number.
- 6. Select the Type of UDI-PI.
- 7. Enter any additional pertinent information about the System or Procedure Pack, select the language of the additional information and enter a URL (web address) for additional information online, if applicable:



8. Specify the *UDI-DI status* in selecting whether it is *On the EU market*, *Not intended for the EU market* or *No longer placed on the EU market* and click **Save** or **Save & Next**:




4.1.4 Step 4: UDI-DI characteristics

1. Select Yes or No for each option regarding sterilisation:



2. If Storage/handling conditions are applicable, slide the toggle to **Yes**. Choose the correct information from the list and provide a description where relevant:






NOTE

When the selected Storage/handling conditions type has the option *Other*, users will be required to enter the Description of the Storage/handling condition type and the description's language.

 Do the same for Critical warnings or contra-indications, and click Save or Save & Next:





NOTE

When the selected Critical warning or contra-indications type has the option *Other*, users will be required to enter the Description of the Critical warning or contra-indications type and the description's language.

4. Click **Save** to save draft and finish later or **Save & Next** to move directly to the next step of the process:




4.1.5 Step 5: Container package details

VIDEO: UDI and Systems and Procedure Packs



1. Click on *Add container package* when there is a higher packaging level for the root UDI-DI:




A unique UDI-DI must be assigned to each package level. You add a higher container package to the root UDI-DI if there is no container package UDI-DI yet, or to the selected UDI-DI (you can add as many levels and as many container packages per level as you have). Add the *Issuing Entity*, *Package UDI-DI code* and the *Quantity per package*, select the *Package status* and click on **Save**:



NOTE

If the UDI-DI already exists in EUDAMED, the system will prevent you from saving.







NOTE

If the status of the device for this container package is either *No longer placed on the EU Market* or *Not intended for the EU Market*, the *Package status* options are greyed out and any container package added to this device will automatically have the same *Package status* as the device.

2. Select the generated information and click on **Submit**:



On the pop-up window, click on Submit my Request:



Upon submission, a success message will be displayed on the screen:




4.2 Register a UDI-DI for an existing Basic UDI-DI of a System or Procedure Pack

1. On the Dashboard, select Manage your Basic UDI-DIs:



Filter the Basic UDI-DIs with the state Registered:
 To do that click on the button Filter, then select Registered in the State box and then click on the button Apply filters:




New UDI-DIs can be added only for Basic UDI-DIs in state Registered or Submitted.

3. Identify the Basic UDI-DI for which you would like to add a new UDI-DI and click on the ellipsis symbol to add it:



4.2.1 Step 1: UDI-DI identification information

1. Complete all the necessary information in the *UDI-DI identification information* tab:




2. Click on **Save & Next** to move to the next step:



4.2.2 Step 2: UDI-DI characteristics

1. Fill in the fields for the UDI-DI Characteristics tab:



2. Click **Save & Next** to move directly to the next step (or click **Save** to save your draft for later).


4.2.3 Step 3: Container package details

To complete this step, please consult Container Package Details [36] of this guide.

5 Manage your own Device information

5.1 Manage your device Basic UDI-DI/ EUDAMED DI details

On the dashboard, click Manage your Basic UDI-DI/EUDAMED DIs:




2. You will see a list with all of the Basic UDI-DIs /EUDAMED DIs registered to the current actor:




NOTE


By default, the Basic UDI-DIs/EUDAMED DIs listed are the ones in *draft* state. To retrieve Basic UDI-DIs/EUDAMED DIs in other states, use the filters.



3. Click on the three dots on the right of the desired entry and then click on *View Data* from the list:




4. You will see a summary of the details concerning your Basic UDI-DI/EUDAMED DI:




5.1.1 Delete draft Basic UDI-DI/EUDAMED DI

After following steps 1, 2 and 3 from *Manage your device Basic UDI-DI/EUDAMED DI details* [42] to view a Draft Basic UDI-DI/EUDAMED DI in state *1st draft*, you have the option to delete this draft.

1. Inside the *View details* page of the desired 1st draft, click **Delete**:




A pop-up window will ask you to confirm the deletion.
 The system also warns about simultaneous deletion of any associated device 1st draft UDIs:




5.1.2 Update Basic UDI-DI/EUDAMED DI

Follow the steps in section *Manage your device Basic UDI-DI/EUDAMED DI details* [42] to view a Basic UDI-DI/EUDAMED DI.

 Once inside the details page for the desired Basic UDI-DI, click on Create new version on the top right corner:



2. Update the desired details:



- 3. To complete the action:
 - · Click Save to save to your registration as a draft and continue later.
 - Click Submit new version if you are certain about the update and wish to submit
 it.

Alternatively, click **Cancel** to cancel the update.


5.1.3 View Basic UDI-DI/EUDAMED DI historical versions

Follow the steps in section *Manage your device Basic UDI-DI/EUDAMED DI details* [42] to view a Basic UDI-DI/EUDAMED DI.


1. Once inside the details of the selected Basic UDI-DI, click See version history:



View the list of versions for the desired Basic UDI-DI and click on the version you wish to view:




3. Inside a version, you can browse through the different versions by clicking on the arrows at the top right corner:





5.2 Manage your device UDI-DI/EUDAMED ID details

1. On the EUDAMED dashboard, click on *Manage your device details*:




You will see a list:






3. Click on the three dots on the right of the desired entry and then View data:




4. You will see a summary of the details of your device:




5.2.1 Delete draft UDI-DI/EUDAMED ID

Follow the steps in *Manage your device UDI-DI/EUDAMED ID details* [47] to view a draft UDI-DI.

Once inside the desired device's Draft UDI-DI, click Delete:




A pop-up message will ask you to confirm the deletion.
 The system will also warn about simultaneous deletion of the associated Basic UDI-DI, in case there is only this single device under it:




5.2.2 View registered UDI-DI/EUDAMED ID details


1. On the dashboard, click Manage your device details:




2. Select the option Registered in the State field and click Apply filters:



3. A list of devices will be displayed. Click *View data* under the three dots of the relevant entry:




- 4. You will see a summary of your device details, divided into the following subsections:
 - UDI-DI details:






NOTE

Master UDI-DI Details section for a registered Master UDI-DI:



Type of UDI-PI	
Expiration date:	Yes
Additional product description:	Description_Generic_EN [EN], Description_FR [FR]
URL for additional information (as electronic instructions for use):	www.yoursite.com/
tatus of the UDI-DI/Device	
UDI-DI/Device status:	On the EU market
Clinical size Clinical size applicable:	Yes
Clinical size #1:	(Type): Acidity, (Precision): Value, (Value): 4.0, (Measure unit): Adult
abelled as single use	
abelled as single use	No
_	No No
Labelled as single use: Maximum number of reuses applicable:	
Labelled as single use: Maximum number of reuses applicable:	
Labelled as single use: Maximum number of reuses applicable: Maximum number of reuses:	No -

CMR/Endocrine disruptor	
Labelled for presence of Carcinogenic, Mutagenic and toxic to Reproduction (CMR) substances of category 1A or 1B:	Yes
CMR substances	
Category of CMR:	1A
EC#:	
CAS#:	-
Name of the substance:	Device_Substance_Endocrine [EN]
Labelled for presence of substance(s) with endocrine-disrupting properties:	Yes
Endocrine-disrupting properties	
EC#:	
CAS#:	-
Name of the substance:	Device_Substance_Endocrine [EN]
Storage/handling conditions	
Storage/handling conditions, if applicable:	Yes
Storage/handling condition #1:	(Type) Protect from heat and radioactive sources - (Description) Text EN_1 [All languages]




Product original manufacturer:



· Market Information:



· Container Package Information:




5.2.3 Update UDI-DI/EUDAMED ID


VIDEO: UDI assignment and updates



Follow the steps in section *Manage your device UDI-DI/EUDAMED ID details* [47] to view a UDI-DI/EUDAMED ID.

 Once inside the details of the selected UDI-DI, click Create new version and proceed to update:







NOTE


The available options for the UDI-DI status depend on the initial status of the device.

- If the initial UDI-DI status of the device is either On the EU market or No longer placed on the EU market, when updating the UDI-DI status of the device, you can select either the On the EU market or the No longer placed on the EU market status.
- If the initial UDI-DI status of the device is Not intended for the EU market, when
 updating the UDI-DI status of the device you can only select the On the EU
 market status.





NOTE

In the *UDI-DI status* field, if you select the *No longer placed on the EU market* status, the Market information will no longer be displayed and all container packages linked to this device will automatically be updated to the same status as the device.




Otherwise, if you select the *On the EU market* status, you must select a Member State in the drop-down list where the device is or has been first placed on the EU market and the Member State(s) where the device is or is to be made available. You must also manually update all container packages linked to this device.





- 2. To finish the action you have two options:
 - Save the updated details without submitting the new version.
 - Submit new version, if you wish to finalise the update.



Once you have submitted the new version, click **Confirm** in the pop-up window to finalise the update:



5.2.4 Update Product original manufacturer

The *Product original manufacturer* information can be updated independently of other data in a device UDI-DI record.



NOTE

Product original manufacturer information can be updated if it was initially provided with details of an Organisation that is not a registered Actor with an Actor ID/SRN.

It **cannot** be updated if it was initially marked as *Not applicable*, or if it was specified with an Actor ID/SRN.

Follow the steps in section *Manage your device UDI-DI/EUDAMED ID details* [47] to view a UDI-DI/EUDAMED ID.


1. Once inside the details of the selected UDI-DI, click **Product original manufacturer** from the list on the left (or scroll down to *Product original manufacturer*):



2. Click **Update** to access the *Product original manufacturer* page:




• You can either update the details on Product original manufacturer.




Or

- You can update the Product original manufacturer to an actor that is already registered in EUDAMED.
 - Check the box *I know the Actor ID/SRN*, enter the Actor ID/SRNor name of the *Product original manufacturer* of the device and click on **Check registry**:



In the pop-up window, select the *Product original manufacturer* from the list:



3. Click **Submit** at the bottom of the screen to finalise the update.

You will be able to see the new version created for the *Product original manufacturer* information.



NOTE


Once you update the *Product original manufacturer* to an actor that is already registered in EUDAMED, you will not be able to perform any further update to the Product original manufacturer via the UDI/Devices module.

5.2.5 Update Market Information

The Market Information can be updated independently of other data in a device UDI-DI record.

Follow the steps in section *Manage your device UDI-DI/EUDAMED ID details* [47] to view a UDI-DI/EUDAMED ID.


1. Once inside the details of the selected UDI-DI, click **Market Information** from the list on the left (or scroll down to *Market Information*):



2. Click Update countries:



3. Update the relevant fields under *Market Information*:



 Click **Submit** to finalise the update. You will be able to see the updated version of Market Information:




5.2.6 Update Container Packages


The Container Packages information can be updated independently of other data in a device UDI-DI record.


Follow the steps in section *Manage your device UDI-DI/EUDAMED ID details* [47] to view a UDI-DI/EUDAMED ID.

 Once inside the details of the selected UDI-DI, click on Container Package information from the list on the left (or scroll down to the relevant section):



2. Click **Create new version** in the *Container Package* section and proceed to update:








NOTE

Only if the status of the selected UDI-DI is *On the EU market*, will you be able to update the status of the container package. Otherwise, the options will be greyed out and you will not be able to update the status of the container package for the selected UDI-DI.

3. Click **Submit** to finalise the container package update:






IP

Master UDI-DI update variation

When creating a new version of a Master UDI-DI container package, the *Maximum quantity per package* field is editable, whereas for the UDI-DI container package, it is not:



5.2.7 Discard registered UDI-DIs/EUDAMED IDs (and their Basic UDI-DI/EUDAMED DI)



IMPORTANT

The *discard* operation acts as a final deactivation. A device in state *discarded* is therefore not listed and cannot be viewed in the public site of EUDAMED. However, it can be viewed by the MF (owner of the discarded device), CA and NB actors.

You may wish to discard a registered UDI-DI in case you discover errors that cannot be corrected.

Follow the steps in section *Manage your device UDI-DI/EUDAMED ID details* [47] to view a registered UDI-DI/EUDAMED ID.


 Once inside the details page of the selected UDI-DI, click **Discard** at the top right corner:



Confirm your intention to discard the registered UDI-DI:




The UDI-DI will be discarded and will no longer be visible on the public EUDAMED website.




5.2.8 Link registered Regulation Device to registered Legacy Device

Follow the steps in Manage your device UDI-DI/EUDAMED ID details [47] and select the *Registered* option in the *State* field to manually link a registered regulation device to a registered legacy device.


1. Once inside the relevant registered regulation device click on Link to legacy device:




2. The page next contains details on the selected registered regulation device and a list with all possible compatible legacy devices to be linked to:




3. You can either select the desired legacy device using the search box or you can select it from the list. Select the device and click **Select this device**:




4. Click **Confirm** in the pop-up window:







5. The system will redirect you back to the regulation device's page:



6. You can view details on the linked legacy device by selecting the link to the legacy device under the *Related Device* section:



7. The legacy device's page will appear. You can view the linked regulation device under the Related Device section:






NOTE

See the Legacy Devices - user guide for further details on Legacy Devices.


5.2.9 Delete link between Regulation Device and Legacy Device

Follow the steps in Manage your device UDI-DI/EUDAMED ID details [47] and select the *Registered* option in the *State* field.

 Once inside the relevant registered regulation device click on Remove the link to this device under the Related Device section:



2. Click Confirm on the pop-up window:







5.2.10 View historical versions of UDI-DI/EUDAMED ID and associated entities

Follow the steps in section *Manage your device UDI-DI/EUDAMED ID details [47]* to view a UDI-DI/EUDAMED ID.

1. Once inside the details page of the selected UDI-DI, click on See version history at the top of the table:



2. In the list of versions displayed, click on the version you wish to access:





You can return to the version history list, by clicking on See all version history at the top right corner.

6 Manage your own System or Procedure Pack (SPP) information

6.1 Manage your SPP Basic UDI-DI details

 On the EUDAMED dashboard, click on Manage your Basic UDI-DIs to see a list of all your Basic UDI-DIs:






Click on the three dots of the selected entry and then click on View data from the menu:




3. A Details summary of your System or Procedure Pack is displayed:



6.1.1 Delete a SPP draft Basic UDI-DI


Follow the steps in section *Manage your SPP Basic UDI-DI details* [76] to view a Draft Basic UDI-DI:



1. Once inside the draft, click **Delete**:




2. Confirm the deletion in the pop-up window:



6.1.2 Update SPP Basic UDI-DI


Follow the steps in section *Manage your SPP Basic UDI-DI details* [76] to view a Basic UDI-DI:



1. Once inside the *Details* page of the relevant Basic UDI-DI, click **Create new version**:




2. Update the desired details.




- 3. To finish the action you have two options:
 - Click Save to save the updated details without submitting the new version.
 - Click Submit new version if you wish to submit it.

Alternatively, click **Cancel** to cancel the update.




4. After you have submitted the new version, you can see the update under the Basic UDI-DI details:




6.1.3 View SPP Basic UDI-DI historical versions

Follow the steps in section *Manage your SPP Basic UDI-DI details* [76] to view a Basic UDI-DI.

Once inside the *Details* page for the selected Basic UDI-DI, click *See version history* at the top of the table:



To return, click Go back to the current version:




6.2 Manage your SPP UDI-DI details

1. On the EUDAMED dashboard, click Manage your UDI-DIs to see the list:



2. To find the relevant UDI-DI, click the **Filter** button and choose the right parameters:






NOTE

By default, the Basic UDI-DIs/EUDAMED DIs listed are the ones in *draft* state. To retrieve other states, use the filters.

3. Click on the three dots of the desired entry and then click on *View data* from the menu:




4. A summary of the details concerning your chosen SPP UDI-DI will be displayed:



6.2.1 Delete SPP draft UDI-DI

Follow the steps in section Manage your SPP UDI-DI details [81] to view a draft UDI-DI.

Once inside the draft, click **Delete**:




2. Confirm the deletion in the pop-up window:




6.2.2 Update SPP UDI-DI


Follow the steps in Manage your SPP UDI-DI details [81] to view a UDI-DI:



1. Once inside the details of the chosen UDI-DI, click **Create new version** at the top right corner:



2. Update the necessary details.



- 3. To finish the action you have two options:
 - · Click Save to save the updated details without submitting the new version.
 - · Click Submit new version, if you wish to submit it.


Otherwise click Cancel to cancel the update.



6.2.3 Update SPP Container Packages

The Container Packages information can be updated independently of other data in a System Procedure Pack (SPP) UDI-DI.

Follow the steps in section Manage your SPP UDI-DI details [81] to view a specific UDI-DI:




1. Click *Container Package information* from the list on the left (or scroll down to the relevant section):




2. Click **Create new version** in the *Container Package* section:



Click Add container package to add new information about the packaging format of the SPP:




4. Insert the package details in the pop-up window and click **Save**:




6.2.4 Discard SPP registered UDI-DIs

Follow the steps in section Manage your SPP UDI-DI details [81] to view a chosen Registered UDI-DI:



 Once inside the *Details* page of the chosen UDI-DI, click **Discard** at the top right corner:



2. Confirm your intention to discard the record in the pop-up window:




6.2.5 View SPP historical versions for UDI-DI and associated entities

Follow the steps in section *Manage your SPP UDI-DI details* [81] to view a UDI-DI for the SPP.

1. Once inside the details of the chosen UDI-DI, click See version history at the top of the table to view a list of all past versions:



2. Click on the version you wish to access to view its detailed summary:




You can return to the version history list by clicking on See all version history at the top right corner.

7 Search & View Devices and Systems or Procedure Packs

On the header menu, click Search & View, then UDI-DIs/Devices:




Alternatively, use the Search & View option available on the dashboard:




2. You can use the filters to search for *Devices*, *Systems* and/or *Procedure Packs* (*SPP*) registered in EUDAMED, or, in the case of Competent Authorities and Notified Bodies, those *submitted* or *discarded*:


EUDAMED user guide



 Once you have entered your search filters, click Search (the record will have to match all the filters). A list of Devices (UDI-DIs/EUDAMED IDs) and/or Systems or Procedure Packs will appear if any are found (otherwise No data available will be displayed):




4. Click on the UDI-DI/EUDAMED ID row of your choice to see the details:




7.1 Search & View historical versions of Devices or SPPs

Follow the steps in Search & View Devices, Systems and/or Procedure Packs [90] to search and view a Device or System or Procedure Pack.

1. Inside the search page, select the filters for your search, activate the option to include historical versions (toggle just above the **Search** button) and click **Search**:



2. The list generated will include the desired current UDI-DI as well as its versions. Click on the version you wish to view:



7.2 Download Devices or SPPs data in a structured format (XML)




NOTE

You can only manually bulk-download in XML your own device or system/procedure pack data if you are a manufacturer or a system/procedure pack producer.

Follow the steps in Search & View Devices, Systems and/or Procedure Packs [90] to search and view a device or a system or procedure pack.

 On the Search page, activate the top filter (Only enable search filters available for bulk XML download) and enter your search criteria.

Enter the search criteria of your choice, and click **Search**:



2. Click on Generate XML file:






NOTE

Only what is shown on the result list will be included in the generated file and not all the results of your search. If the search yields multiple pages of results, you will need to download an XML file for each page to capture all the data.


3. Confirm your action in the pop-up window:



4. The system will display a success message. Click **Go to Download Management** under the question *What do you want to do now?*:




5. You can download the generated XML file by clicking on it under the **Download** column:





7.3 View historical versions of Basic UDI-DI/EUDAMED DI, UDI-DI/EUDAMED ID and associated entities

Follow the steps in Search & View historical versions of Devices, System and/or Procedure Packs [92] to view the details of a Device or System or Procedure Pack.


Once inside the details of the chosen UDI-DI, go to the section in which you wish
to view old versions (e.g. Basic UDI-DI/EUDAMED DI, UDI-DI/EUDAMED ID, Market
Information, Product original manufacturer or Container Package) and click on See
version history:









2. You will see, if any, a list of all old versions for the selected entity, e.g. version history of the Basic UDI-DI:



3. Click on the version you wish to view to access its details:



4. Inside a version, click on the links at the top right corner to browse through the different versions (*all versions*, *previous*, *next*):




8 Annex – device certificate information

This Annex presents the cases in which the Certificate information needs to be provided when registering a Regulation Device and the Certificate type to be provided based on the properties of the device.

Applicable Legislation	Risk Class	Device Type (properties composing the Device)	Type Examination Certificate	Technical Documentation Certificate
MDR	₩	Implantable = No	EU type-examination certificate (Annex X)	
MDR	₩	Implantable=Yes, Suture/ Staples= Yes	EU type-examination certificate (Annex X)	
		Suture/ Staples= Tes	Either TE or TD	Either TE or TD
MDR	₩	Implantable=Yes, Suture/ Staples= No	required to be provided EU type-examination	required to be provided
			certificate (Annex X)	EU technical documentation assessment certificate
				(Annex IX Chapter II)
MDR	III	Any	Either TE or TD required to be provided EU type-examination	Either TE or TD required to be provided
			certificate (Annex X)	EU technical documentation assessment certificate
		Self-patient testing= Yes		(Annex IX Chapter II) EU technical
	В	or Near Patient Testing		documentation
IVDR		= Yes		assessment certificate
				(Annex IX Chapter II)
IVDR	С	Self-patient testing= No, Near Patient Testing = No	EU type-examination certificate (Annex X)	
IVDR	С	Self-patient testing= Yes or Near Patient Testing = Yes	Either TE or TD required to be provided EU type-examination	Either TE or TD required to be provided
			certificate (Annex X)	EU technical documentation assessment certificate (Annex IX Chapter II)
IVDR	D	Any	Either TE or TD	Either TE or TD
			required to be provided	required to be
			EU type-examination	provided
			certificate (Annex X)	EU technical
			zz. zgredet (rimex 70)	documentation
				assessment certificate
				(Annex IX Chapter II)

Colour code:



= Certificate is required to be provided in this case. In case there is an option to provide either a Type Examination or Technical Documentation – one of them is required to be provided (the Certificate type covering the Device)

